

WEST Search History for Application 10614800

Creation Date: 2008060514:22

| Query | DB | Op. | Plur. | Thes. | Date |
|--|---|-----|-------|-------|------------|
| (chang\$4 near5 temporary near4 ip near4 address)with(ip near4 address) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (port)near5(changeover or switch\$4) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (authenticat\$4)near4(packet or datagram) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| ((port)near5(changeover or switch\$4)) and ((authenticat\$4)near4(packet or datagram)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (authenticat\$4 or verif\$4 or authoriz\$4)near5(packet or datagram)with(mac near4 address or ip near4 address) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (DHCP near4 server or default near4 ip near4 address or dynamic near4 allocat\$4) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| ((authenticat\$4 or verif\$4 or authoriz\$4)near5(packet or datagram)with(mac near4 address or ip near4 address)) and ((DHCP near4 server or default near4 ip near4 address or dynamic near4 allocat\$4)) | PGPB, USPT, EPAB, JPAB, | OR | YES | | 06-05-2008 |

| | | | | | |
|--|---|----|-----|--|------------|
| | DWPI, TDBD | | | | |
| (signal)near5(unauthenticat\$4) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (virtual near4 local near4 area near4 network)near5(switch) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (VLAN near4 switch) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (authenticat\$4)near5(signal) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (authenticat\$4 or verif\$4 or authoriz\$4)near5(packet or datagram) and ((authenticat\$4)near5(signal)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (unauthenticat\$4 near4 signal) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (transmit\$4 or giv\$4 or forward\$4 or send\$4)near5(temporary near4 ip near3 address) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| | | OR | YES | | 06-05-2008 |

| | | | | | |
|--|---|----|-----|--|------------|
| ((authoriz\$4 or authenticat\$4 or unauthenticat\$4 or verif\$4)near5(signal) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | | | | |
| ((transmit\$4 or giv\$4 or forward\$4 or send\$4)near5(temporary near4 ip near3 address)) and ((authoriz\$4 or authenticat\$4 or unauthenticat\$4 or verif\$4)near5(signal)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (stor\$4 or sav\$4 or preserv\$4)near5(temporary near3 ip near3 address or default near3 address) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (user)near6(login or logon)with(network) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (login or logon)near6(picture) and ((user)near6(login or logon)with(network)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (authenticat\$4 or authoriz\$4 or verif\$4 or valid\$4)near5(login or logon)with(ip near4 address or network near4 address) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (user near5 authenticat\$4)with(ip near4 address or mac near4 address) and ((VLAN near4 switch)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (web or internet)near5(login or logon)near5(picture) | PGPB, USPT, EPAB, JPAB, | OR | YES | | 06-05-2008 |

| | | | | | |
|---|---|----|-----|--|------------|
| | DWPI, TDBD | | | | |
| (ip near4 subnet) and ((port)near5(changeover or switch\$4)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (chang\$4 or switch\$4 or alter\$4 or modif\$4)near5(ports) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (unauthenticat\$4 near4 signal near4 port) and ((chang\$4 or switch\$4 or alter\$4 or modif\$4)near5(ports)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (transfer\$4 or transmit\$4 or giv\$4 or forward\$4 or send\$4)near5(ip near4 packet or packet)with(authenticat\$4) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| ((chang\$4 or switch\$4 or alter\$4 or modif\$4)near5(ports)) and ((transfer\$4 or transmit\$4 or giv\$4 or forward\$4 or send\$4)near5(ip near4 packet or packet)with(authenticat\$4)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (DHCP or dynamic near4 host near4 configuration)and ((port)near5(changeover or switch\$4)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (user)near5(fail\$4 or deny\$4 or incorrect\$4)near5(authenticat\$4 or login or logon) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| | | OR | YES | | 06-05-2008 |

| | | | | | |
|---|------------------------------------|----|-----|--|------------|
| ((DHCP or dynamic near4 host near4 configuration)and (port)near5(changeover or switch\$4)) and ((user)near5(fail\$4 or deny\$4 or incorrect\$4)near5(authenticat\$4 or login or logon)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | | | | |
| (default near5 ip near4 network) and ((user)near5(fail\$4 or deny\$4 or incorrect\$4)near5(authenticat\$4 or login or logon)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (transfer\$4 or transmit\$4 or giv\$4 or forward\$4 or send\$4)near5(user)near5(DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (display\$4)near4(login or logon or user near4 id or password)near4(web or internet) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| ((display\$4)near4(login or logon or user near4 id or password)near4(web or internet)) and ((port)near5(changeover or switch\$4)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (register\$4 or stor\$4 or sav\$4)near4(mac near4 address or ip near4 address)near4(table or database) and ((port)near5(changeover or switch\$4)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (web or internet)near4(display or picture) and (authenticat\$4 or authoriz\$4 or verif\$4 or valid\$4)near5(login or logon) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| Akihiro near Shin.in. and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, | OR | YES | | 06-05-2008 |

| | | | | | |
|--|---|----|-----|--|------------|
| | DWPI, TDBD | | | | |
| NEC.as. and ((port)near5(changeover or switch\$4)) and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 713/154.ccls. and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 713/160.ccls. | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 713/170.ccls.and ((port)near5(changeover or switch\$4)) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 713/180.ccls. | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 726/1.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 726/2.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| | | OR | YES | | 06-05-2008 |

| | | | | | |
|---|---|----|-----|--|------------|
| 726/3.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | | | | |
| 726/4.ccls. | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 726/6.ccls. and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 726/12.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 726/13.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 726/14.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 709/220.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 709/223.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, | OR | YES | | 06-05-2008 |

| | | | | | |
|--|---|----|-----|--|------------|
| | DWPI, TDBD | | | | |
| 709/224.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 709/226.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 709/227.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| 709/230.ccls.and (DHCP or dynamic near4 host near4 configuration) | PGPB, USPT, EPAB, JPAB, DWPI, TDBD | OR | YES | | 06-05-2008 |
| (physical near4 port near4 changeover and packet and unauthenticat\$4 near4 port and temporary near3 address and login near3 picture).CLM. | PGPB | OR | YES | | 06-05-2008 |